

Mission Springs Water District

66575 Second St.

Desert Hot Springs, CA 92240

(760) 329 5169- MSWD Engineering Department

Sewer Interceptor Waste Discharge Conditional Waiver Application

Select One: Time Extension for Compliance □ Variance including Grease Disposal Mitigation □
Property Owner's Name:
-Phone Number:
Facility User's Name
-Phone Number:
Facility Address:
Business Name:
Provide (attach) a letter of request, addressed to the General Manager along with all documentation that supports your request for time extension for compliance with a Notice of Violation, alternative treatment other than an interceptor (Variance) or why interceptor or and variance alternatives are not reasonable or feasible (District to assign Grease Disposal Mitigation Fee)(i.e., Provide all necessary information regarding the facility operation for the District to evaluate the treatment unit requirements. Use a separate sheet(s) of paper as necessary to provide sufficient information to process this application. For questions or if you need assistance in completing this form please contact the District Engineering Department at the number listed above): I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manages the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.
Applicant's Signature
Name
Title
Date
NOTE: The information provided herein is not confidential in nature and can be shared with the public. Approved Denied District Representative Date Fee pd
Water the Javal of the December Treesure (4)

